

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8812	(determin\$5 or detect\$3 or calculat\$3) near5 overflow	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 11:20
L2	156	1 same ((extract\$4 or subtract\$4 or remov\$4 or throw\$4) near3 bit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 11:05
L3	76	1 with ((extract\$4 or subtract\$4 or remov\$4 or throw\$4) near3 bit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 10:54
L4	589324	transmi\$5 near6 (data or (data near2 (packet\$1 or unit\$2 or frame\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 10:54
L5	647922	rece\$5 near6 (data or (data near2 (packet\$1 or unit\$2 or frame\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 10:54
L6	252141	L4 same L5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 10:54
L7	469	L6 same (different near2 (clock\$1 or (clock adj frequenc\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 10:57
L8	1	2 same L7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 10:56
L9	215435	L4 with L5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 10:56
L10	154	L9 with (different near2 (clock\$1 or (clock adj frequenc\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 10:56

L11	0	3 with L10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 10:56
L12	1	2 same (different near2 (clock\$1 or (clock adj frequenc\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 11:07
L13	0	3 with (different near2 (clock\$1 or (clock adj frequenc\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 10:57
L14	3	2 same 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 10:59
L15	1	3 with 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 10:58
L16	17281	(handl\$3 or process\$3 or control\$4 or adjust\$5 or correct\$4 or manag\$5) near5 overflow	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 11:30
L17	84	16 same ((extract\$4 or subtract\$4 or remov\$4 or throw\$4) near3 bit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 11:05
L18	39	16 with ((extract\$4 or subtract\$4 or remov\$4 or throw\$4) near3 bit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 11:05
L19	1	17 same 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 11:27
L20	0	18 with 10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 11:06

L21	1	17 same (different near2 (clock\$1 or (clock adj frequenc\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 11:29
L22	0	18 with (different near2 (clock\$1 or (clock adj frequenc\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 11:07
L23	6	17 same 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 11:12
L24	1	18 with 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 11:12
L25	1425	(determin\$5 or detect\$3 or calculat\$3) near5 underflow	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 11:20
L26	37	25 same ((insert\$3 or adding or addition or additional or extra) near3 bit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 11:31
L27	16	25 with ((insert\$3 or adding or addition or additional or extra) near3 bit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 11:22
L28	1	26 same 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 11:31
L29	0	27 with 10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 11:32
L30	2	26 same 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 11:28

L31	1	27 with 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 11:28
L32	1	26 same (different near2 (clock\$1 or (clock adj frequenc\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 11:32
L33	0	27 with (different near2 (clock\$1 or (clock adj frequenc\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 11:29
L34	2160	(handl\$3 or process\$3 or control\$4 or adjust\$5 or correct\$4 or manag\$5) near5 underflow	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 11:30
L35	28	34 same ((insert\$3 or adding or addition or additional or extra) near3 bit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 11:31
L36	19	34 with ((insert\$3 or adding or addition or additional or extra) near3 bit\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 11:31
L37	1	35 same 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 11:33
L38	0	36 with 10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 11:32
L39	1	35 same (different near2 (clock\$1 or (clock adj frequenc\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 11:32
L40	0	36 with (different near2 (clock\$1 or (clock adj frequenc\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 11:32

L41	2	35 same 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 11:33
L42	1	36 with 9	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 11:34
L43	46	1 same ((sampl\$3 near2 (point or center or (center adj point)) or moment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 11:57
L44	18	1 with ((sampl\$3 near2 (point or center or (center adj point)) or moment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 11:45
L45	59	16 same ((sampl\$3 near2 (point or center or (center adj point)) or moment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 12:00
L46	27	16 with ((sampl\$3 near2 (point or center or (center adj point)) or moment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 11:57
L47	6	25 same ((sampl\$3 near2 (point or center or (center adj point)) or moment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 12:02
L48	1	25 with ((sampl\$3 near2 (point or center or (center adj point)) or moment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 12:00
L49	9	34 same ((sampl\$3 near2 (point or center or (center adj point)) or moment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 12:02
L50	4	34 with ((sampl\$3 near2 (point or center or (center adj point)) or moment))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 12:05

L51	3	overflow near5 (center adj point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 12:07
L52	1	underflow near5 (center adj point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 12:06
L53	29	overflow same (center adj point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 12:10
L54	7	overflow with (center adj point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 12:08
L55	4	underflow same (center adj point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 12:11
L56	3	underflow with (center adj point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 12:11
L57	5	overflow same (circulation near3 point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 12:14
L58	3	overflow with (circulation near3 point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 12:12
L59	1	underflow same (circulation near3 point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 12:14
L60	1	underflow with (circulation near3 point)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 12:14